[4] S. H. Fan, S. G. Johnson, J. D. Joannopoulos, C. Manolatou, and H. A. Haus, “Waveguide branches in photonic crystals,” J. Opt. Soc. Am. B 18(2), 162–165, 2001.

[5] I.Park, H.-S. Lee, H.-J. Kim, K.-M. Moon, S.-G. Lee, B.-H. O, S.-G. Park, and E.-H. Lee, “Photonic crystal power-splitter based on directional coupling,” Opt. Express 12 15, 3599–3604, 2004.

[6] M.Zhang, N.Groothoff, A.C.Kruger, P.Shi, M.Kristensen, ”Relaxed fabrication tolerance for self-imaging photonic crystal waveguide splitters using a tapered multimode interference region”, Optics Letters, vol. 36, Issue 16, pp. 3058-3060, 2011.

[7] Y. Xu, S. Wang, S. Lan, X. Lin, Q. Guo, L. Wu, “Self-collimating polarization beam splitter based on photonic crystal Mach–Zehnder interferometer”, Journal of the Optical Society of America B, vol. 27, Issue 7, pp. 1359-1363, 2010.

[8] V. Zabelin, L.A. Dunbar, N.L. Thomas, R. Houdre , “Self-collimating photonic crystal polarization beam splitter”, Optics Letters, Vol. 32, Issue 5, pp. 530-532, 2007.

[9] H. Badaoui, M. Feham1, and M. Abri, “Double Bends and Y-Shaped Splitter Design For Integrated Optics”, Progress In Electromagnetics Research Letters, Vol. 28, pp. 129-138, 2012.

[10] Hadjira Abri Badaoui, and Mehadji Abri, “Optimized 1×8 compact splitter based on photonic crystal using the two-dimensional finite-difference time domain technique”, Optical Engineering 54(6), 067104, June 2015.

[11] Rajat Dey and Jayshri Sabarinathan,” 1×3 Power splitter based on 2-D slab photonic crystal multiple line defect waveguides’, Proc. of SPIE, Vol. 8007, pp. 1-8, 2011.

[12] Fedaouche Amal, Abri Badaoui Hadjira, and Abri Mehadji,” Ultra-Highly Efficient 1×3 and 1×6 Splitters for Terahertz Communication Applications”, IEEE Photonics Technology Letters, Vol. 28, No. 13, pp. 1434-1437, July 1, 2016.

[13] C.M. Soukoulis, editor, “Photonic Band Gaps and Localization” (Plenum, New York, 1993), pp. 247–268.

[14] K. Yasumoto, editor,”Electromagnetic Theory and Applications for Photonic Crystals”, (CRC Press, New York, 2006), pp. 123–401. 6, 7, 44

[15] Qiu, M. and S. He, “A nonorthogonal finite-difference time domain method for computing the band structure of a two-dimensional photonic crystal with dielectric and metallic inclusion”, J. Appl. Phys., Vol. 87, No. 12, pp. 8268-8275, Jun. 2000.

[16] Kuang, W., W. J. Kim, and J. D. O'Brien, “ Finite-difference time domain method for no orthogonal unit-cell two-dimensional photonic crystals”, Journal of Light wave Technology, Vol. 25, No. 9, pp. 2612-2617, Sep. 2007.