

the recovered extract can have high yield and quality than that prepared by a conventional method. Methods such as SFE, MAE, and UAE are better suited for the extraction of heat labile and volatile compounds, which is not the case with the conventional methods. In all these technic the choice of the solvent depend on the nature of target compound.

ACKNOWLEDGEMENT

The authors are grateful to the Organization for Women in Sciences for the Developing World (OWSD) for the grant << fund reservation No 3240274094>>.

REFERENCES

- Alupului A., 2012, Microwave extraction of active principles from medicinal plants. U.P.B. Science Bulletin, Series B 74(2)
- Amita P., and Shalini T., 2014, Concept of standardization, extraction and pre Phytochemical screening strategies for herbal drug, Journal of Pharmacognosy and Phytochemistry 2 (5): 115-119
- Anees A., Abbas F., Alkarkhi M., Sufia H., Bazlul M., and Khoo W., and Dur, 2010, Optimization of Soxhlet Extraction of Herba Leonuri Using Factorial design of experiment. International journal of chemistry. 2 (1) 198-205
- Ankit G., Madhu N., and Vijay K., 2012, Modern extraction methods for preparation of bioactive plant extracts. International journal of applied and natural sciences (ijans) vol.1, issue 1 aug 2012 8-26
- Azmir J., Zaidul A., Rahman A., Sharif A., Mohamed A., Sahena B., Jahurul B., Ghafoor C., Norulaini D., and Omar B., 2013, Techniques for extraction of bioactive compounds from plant materials: A review. Journal of Food Engineering 117. 426-436 <https://doi.org/10.1016/j.foodeng.2013.01.014>
- Bimakr M., 2010, Comparison of different extraction methods for the extraction of major bioactive flavonoid compounds from spearmint (*Mentha spicata* L.) leaves. Food Bioprod Process; 1-6.
- Boligon A., and Athayde M., 2014, Importance of HPLC in Analysis of Plants Extracts. Austin Chromatogr; 1(3): 2
- Brachet A., Christen P., and Venthely L., 2002, Focused microwave assisted extraction of cocaine and benzoylecgonine from coca leaves. *Phytochemical analysis* .13: 162-169 <https://doi.org/10.1002/pca.637>
- Brusotti G., Cesari I., Dentamaro A., Caccialana G., and Massolini G., 2014, "Isolation and characterization of bioactive compounds from plant resources: The role of analysis in the ethnopharmacological approach". Journal of Pharmaceutical and Biomedical Analysis, 87: 218-228. <https://doi.org/10.1016/j.jpba.2013.03.007>
- Chemat F., Tomao V., and Viot M., 2008. In: Otles, S. (Ed.), Handbook of Food Analysis Instruments. Ultrasound-Assisted Extraction in Food Analysis. CRC Press, pp. 85-94
- Choon Yoong Cheok, Hanaa Abdel Karim Salman, Rabiha Sulaiman . 2014. Extraction and quantification of saponins: A review Food Research International 5 (2014) 16-40 <https://doi.org/10.1016/j.foodres.2014.01.057>
- Evans W., 2002, General methods associated with the phytochemical investigation of herbal products. In Trease and Evans Pharmacognosy (15 ed.), New Delhi: Saunders (Elsevier), pp.137-148
- Grigonis D., Sivik P., Sandahl M., and Eskilsson C., 2005, Comparison of different extraction techniques for isolation of antioxidants from sweet grass (*Hierochloe odorata*). J Supercrit Fluids, 33: 223-233. <https://doi.org/10.1016/j.supflu.2004.08.006>
- Heng Y., Tan S., Yong., and Ong E., 2013. Emerging green technologies for the chemical standardization of botanicals and herbal preparations. Trends in Analytical Chemistry, 50, 1-10 <https://doi.org/10.1016/j.trac.2013.03.012>
- Ibanez E., Herrero M., Mendiola J., Castro-Puyana M., 2012, Extraction and characterization of bioactive compounds with health benefits from marine resources: macro and micro algae, cyanobacteria, and invertebrates. In: Hayes, M. (Ed.), Marine Bioactive Compounds: Sources, Characterization and Applications. Springer, pp. 55-98 https://doi.org/10.1007/978-1-4614-1247-2_2
- Jadhav D., Rekha B., Gogate P., Rathod V., 2009, Extraction of vanillin from vanilla pods: A comparison study of conventional Soxhlet and ultrasound assisted extraction. J. Food Eng. 93: 421- 426. <https://doi.org/10.1016/j.foodeng.2009.02.007>
- Jain T., 2009. Microwave assisted extraction for phytoconstituents – an overview. Asian Journal of Research in Chemistry 2 (1), 19-25
- Krone N., Hughes B., Lavery G., Stewart P., Arlt, W., Shackleton C., 2010, Gas chromatography/mass spectrometry (GC/MS) remains a pre-eminent discovery tool in clinical steroid investigations even in the era of fast liquid chromatography tandem mass spectrometry (LC/MS/MS). *J. Steroid Biochem. Mol. Biol.*, 121, 496-504. <https://doi.org/10.1016/j.jsbmb.2010.04.010>
- Lang Q., Wai C., 2001, Supercritical fluid extraction in herbal and natural product studies-a practical review. Talanta 53 (4), 771-782. [https://doi.org/10.1016/S0039-9140\(00\)00557-9](https://doi.org/10.1016/S0039-9140(00)00557-9)
- Letellier M., and Budzinski H., 1999, Microwave assisted extraction of organic compounds. Analisis 27 (3), 259-270 <https://doi.org/10.1051/analisis:1999116>
- Liangliang Z., Yongmei W., Dongmei W., Man X., and Jiahong C., 2011, Microwave Assisted Extraction of Polyphenols from *Camellia oleifera* Fruit Hull. *Molecules*, 16, 4428-4437 <https://doi.org/10.3390/molecules16064428>
- Luque de Castro M., and Garcia-Ayuso L., 1998, Soxhlet extraction of solid materials: an outdated technique with a promising innovative future, *Analytica Chimica Acta* 369 1 10
- Martin M., Guiochon G., 2005, Effects of high pressure in liquid chromatography. J Chromatogr A.; 1090: 16-38 <https://doi.org/10.1016/j.chroma.2005.06.005>
- Nor Atikah Y., Saiful N., Anwaruddin H., Nor Adila M., 2015, Agarwood Essential Oil: Study on Optimum Parameter and Chemical Compounds of Hydrodistillation Extraction. *J. Appl. Sci. & Agric.*, 10(5): 1-5.
- Rafiee Z., Jafari S., Alami M., and Khomeiri M., microwave-assisted extraction of phenolic compounds from olive leaves; a comparison with maceration The Journal of Animal & Plant Sciences, 21(4): 2011, Page: 738-745
- Reighard T., and Olesik S., 2006, Bridging the Gap between Supercritical Fluid Extractions and Liquid Extraction Techniques: Alternative Approaches of the Extraction of Solid and Liquid Environmental Matrices, *Critical Reviews in Analytical Chemistry*, 26 (2&3) 1-39
- Sasidharan S., Chen., Saravanan K., Sundram L., Yoga L., Extraction, isolation and characterization of bioactive compounds from plants' extracts. Afr J Tradit Complement Altern Med. (2011) 8(1):1-10
- Silva V., Nelson D., Drummond M., Dufosse L., Gloria M., 2005, Comparison of hydrodistillation methods for the deodorization of turmeric. *Food Research International* 38 (8-9), 1087-1096 <https://doi.org/10.1016/j.foodres.2005.02.025>
- Smith R., 2003, Before the injection-modern methods of sample preparation for separation techniques. *Journal of Chromatography A* 1000 (1-2), 3-27. [https://doi.org/10.1016/S0021-9673\(03\)00511-9](https://doi.org/10.1016/S0021-9673(03)00511-9)
- Takeuchi T., Pereira C., Braga M., Maróstica M., Leal P., and Meireles M., 2009, Low-pressure solvent extraction (solid-liquid extraction, microwave assisted, and ultrasound assisted) from condimentary plants. In M. A. A. Meireles (Ed.), *Extracting bioactive compounds for food products—Theory and applications* (pp. 140-144). Boca Raton: CRC Press, 151158
- Tang-Bin Z., Min W., Ren-You G., and Wen-Hua L., 2011, Optimization of ultrasound assisted extraction of anthocyanins from mulberry, using response surface methodology. *Int. J. Mol. Sci.* 12, 3006-3017 <https://doi.org/10.3390/ijms12053006>
- <https://doi.org/10.1002/047167849X>
- <https://doi.org/10.1002/047167849X>
- Tonthubthimthong P., Chuaprasert S., Douglas P., Luewisutthichat W., 2001, Supercritical CO₂ extraction of nimbin from neem seeds an experimental study. *J. Food Eng.* 47: 289293 [https://doi.org/10.1016/S0260-8774\(00\)00131-X](https://doi.org/10.1016/S0260-8774(00)00131-X)
- Wang L., and Waller C., 2006, Recent advances in extraction of nutraceuticals from plants, *Trends in Food Science & Technology*, 17, 300-312. <https://doi.org/10.1016/j.tifs.2005.12.004>
- Yepez B., Espinosa M., López S., and Bolaños G., 2002, producing antioxidant fractions from herbaceous matrices by supercritical fluid extraction, *Fluid Phase Equilibria* 879-884

